

OFFICIAL

15 March 2022

KEY FINDINGS—QUEENSLAND

National Wastewater Drug Monitoring Program—Report 15

The Program found that, compared to April 2021, of the substances tested in August 2021 in Queensland:

- There were 11 sites monitored in Queensland in August 2021—3 capital city sites and 8 regional sites.
- Average alcohol consumption increased in both capital city and regional sites. Average capital city consumption in October 2021 was the highest on record.
- Average nicotine consumption increased in both capital city and regional sites.
- Average methylamphetamine consumption decreased in both capital city and regional sites.
- Average cocaine consumption decreased in both capital city and regional sites.
- Average MDMA consumption decreased in both capital city and regional sites.
- Average MDA excretion decreased in both capital city and regional sites. Average capital city and regional excretion in August 2021 was the lowest on record.
- Average heroin consumption decreased in both capital city and regional sites. Average capital city consumption in October 2021 was the highest on record.
- Average oxycodone consumption decreased in both capital city and regional sites. Average regional consumption in August 2021 was the lowest on record.
- Average fentanyl consumption decreased in capital city sites and remained relatively stable in regional sites. Average capital city consumption in August 2021 and regional consumption in April and August 2021 were the lowest on record.
- Average cannabis consumption increased in both capital city and regional sites. Average capital city consumption in October 2021 and regional consumption in August 2021 were the highest on record.
- Average ketamine excretion increased in both capital city and regional sites.

National comparison—August 2021:

OFFICIAL

AUSTRALIAN CRIMINAL INTELLIGENCE COMMISSION Page 1 of 2

OFFICIAL

- Queensland had the second highest average regional consumption of cocaine.
- Queensland had the highest average regional consumption of oxycodone.
- Queensland had the second highest average regional consumption of fentanyl.

Note to editors

In accordance with current wastewater analysis conventions, the terms of the contract, and to protect the integrity of the program, the exact locations are not able to be publicly released by the Australian Criminal Intelligence Commission. To maintain the confidentiality of the participating site, each site was allocated a unique code to de-identify their results, however trends in particular states and territories are still able to be identified.

OFFICIAL

AUSTRALIAN CRIMINAL INTELLIGENCE COMMISSION Page **2** of **2**